

# EasyWork

Max Mobility and  
Flexibility



UNIVERSAL ROBOTS+  
Certified



**EasyRobotics®**  
- we move your parts

# EasyWork mobile cobot platform

The EasyWork series from EasyRobotics, is a series of mobile cobot platforms developed to maximize mobility and flexibility in robotic automation.

One of the unique features of EasyWork mobile platform is that one person easily can move the workstation, with a complete and fully installed collaborative robot, like pulling a suitcase.

## EASYWORK

Is suitable for robot automation in production layouts with limited space or in productions demanding high mobility, flexibility and quick re-deployment due to small series production or the wish of moving the robot between different processing machines.

### EASYWORK Patent pending and registered design

#### Suitable for:

Maximizing mobile and flexible robotic automation in dense facilities. Compatible with UR3 and UR5 cobots from Universal Robots and A-series from Doosan.

#### Optional features:

Easy+ software program for convenient set-up.  
Interchangeable parts plate.



#### Integrated ventilated compartment for the controller unit.

- Offers space for adding an excess cable with the Tpad.

#### Integrated heavy duty rubber wheels

- For easy move of fully mounted cobot.

## Plug and Produce


Due to the EasyWork built-in handle and heavy duty wheels, cobots can easily be moved and deployed by one person, pulling a fully mounted cobot on the EasyWork platform between the machines, when testing the current or a new layout and production flow.

The EasyWork, all-in-one integrated solution, is part of the EasyRobotics' product range also consisting of ProFeeder, which as EasyWork enables robot automation in small and medium sized companies.



#### Multifunctional handle works

- T-pad holder, handle for transport and easy placement of extra rollers for storing in e.g. trunks of vehicles. Optional feature.



#### Integrated cord winder and foot pad

- Ensuring high safety in productions.
- No loose cords.
- Easy tilting and moving of EasyWork.



To achieve stability the EasyWork has four adjustable foot stands. The rubber wheel is lifted from the ground.





#### Single-person handling

- EasyWork fits fully mounted with a UR cobot in the boot of a van and can be loaded in and out of the boot. Optional.

## FACT

The compact mobile cobot workstation EasyWork enables a flexible and mobile robotic automation in productions with limited space.

EasyWork eliminates the use of pallet trucks and pallet forks for moving collaborative robots.



Weight ex. Robot: 45 kg,  
the EasyWork has a  
horizontal Robot Console.

Part #	Product Name	Description
ER-1004-00	EasyWork	H: 1012 mm, W: 540mm, L: 740mm, Wt: 52 kg, T-Pad bracket, Compartment for controller, *only for UR and Doosan A-series

*Danish manufacturer and supplier of robotic cells for all types of automation.*

**EasyRobotics®**  
- we move your parts

EasyRobotics ApS  
Mommarkvej 5  
DK-6400 Sønderborg  
Phone: +45 24 86 56 11  
info@easyrobotics.dk  
[www.easyrobotics.dk](http://www.easyrobotics.dk)